

# 642-746

## Cisco

### *Implementing Cisco Unified Wireless Mobility Services (IUWMS)*

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 642-746 exam in first attempt and also get high scores to acquire Cisco certification.*

*If you use OfficialCerts 642-746 Certification questions and answers, you will experience actual 642-746 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Cisco exam prep covers over 95% of the questions and answers that may be appeared in your 642-746 exam. Every point from pass4sure 642-746 PDF, 642-746 review will help you take Cisco 642-746 exam much easier and become Cisco certified.*

*Here's what you can expect from the OfficialCerts Cisco 642-746 course:*

- \* Up-to-Date Cisco 642-746 questions as experienced in the real exam.*
- \* 100% correct Cisco 642-746 answers you simply can't find in other 642-746 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 642-746 PDF.*
- \* Cisco 642-746 brain dump free content featuring the real 642-746 test questions.*

*Cisco 642-746 certification exam is of core importance both in your Professional life and Cisco certification path. With Cisco certification you can get a good job easily in the market and get on your path for success. Professionals who passed Cisco 642-746 exam training are an absolute favorite in the industry. You will pass Cisco 642-746 certification test and career opportunities will be open for you.*

<http://www.studentidisinistra.org/?testid=exams.asp?examcode=642-746>



<b>Exam Name:</b>	<b>Implementing Cisco Unified Wireless Mobility Services (IUWMS)</b>		
<b>Exam Type:</b>	<b>Cisco</b>		
<b>Exam Code:</b>	<b>642-746</b>	<b>Total Questions:</b>	<b>90</b>

**Question: 1**

What is the default role on a Cisco mesh access point?

- A. root access point
- B. mesh access point
- C. root bridge access point
- D. Workgroup Bridge

**Answer: B**

**Question: 2**

Which AP combinations can support MAP or RAP roles in a mesh network using version 5.2?

- A. AP1252, AP1510, AP1522, AP1524
- B. AP1232, AP1522, AP1524, AP1242
- C. AP1131, AP1522, AP1242, AP1524
- D. AP1252, AP 1522, AP1524, AP1242

**Answer: C**

**Question: 3**

Where Ethernet is bridged traffic terminated in a mesh network?

- A. WLC
- B. WGB
- C. MAP
- D. RAP

**Answer: D**

**Question: 4**

Which two frequencies can be used for backhaul in a mesh solution using version 5.2?  
(Choose two.)

- A. 2.4 GHz
- B. 4.2 GHz
- C. 4.9 GHz
- D. 5.8 GHz

**Answer: C, D**

**Question: 5**

What is the Cisco recommendation for maximum hop count and VLANs per sector in a mesh deployment?

- A. 4 hops, 10 VLANs
- B. 4 hops, 16 VLANs
- C. 5 hops, 10 VLANs
- D. 6 hops, 16 VLANs

**Answer: B**

**Question: 6**

What is the first step to initially establish a mesh network?

.

<b>Exam Name:</b>	<b>Implementing Cisco Unified Wireless Mobility Services (IUWMS)</b>		
<b>Exam Type:</b>	<b>Cisco</b>		
<b>Exam Code:</b>	<b>642-746</b>	<b>Total Questions:</b>	<b>90</b>

- A. Configure the bridge group name.
- B. Enter the MAC address of the mesh access point on the Cisco WLC.
- C. Enable Ethernet bridging
- D. Enable VLAN tagging.

**Answer: B**

**Question: 7**

AWPP utilizes which three parameters to determine the optimal path? (Choose three.)

- A. best parent selection
- B. bridge group name
- C. ease value
- D. hop count
- E. parent selection
- F. signal-to-noise ratio

**Answer: C, D, F**

**Question: 8**

What is the radio role of an AP1410?

- A. repeater
- B. root bridge
- C. root bridge with clients
- D. workgroup bridge

**Answer: B**

**Question: 9**

Which radio role is available on the AP1310 but not on the AP1242?

- A. install mode
- B. non-root bridge
- C. repeater
- D. root bridge

**Answer: A**

**Question: 10**

The Cisco recommended best practice for RSSI-based device tracking states that the tracked devices must be reliably detected by a minimum of how many APs?

- A. one
- B. two
- C. three
- D. four

**Answer: C**

**Question: 11**

The Cisco Wireless Location Appliance or MSE is responsible for which function?.

- A. collection of RSSI data from APs
- B. configuration of tags and exciter

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

