

# 642-974

## Cisco

### Data Center Network Infrastructure Support – 2

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 642-974 exam in first attempt and also get high scores to acquire Cisco certification.*

*If you use OfficialCerts 642-974 Certification questions and answers, you will experience actual 642-974 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Cisco exam prep covers over 95% of the questions and answers that may be appeared in your 642-974 exam. Every point from pass4sure 642-974 PDF, 642-974 review will help you take Cisco 642-974 exam much easier and become Cisco certified.*

*Here's what you can expect from the OfficialCerts Cisco 642-974 course:*

- \* Up-to-Date Cisco 642-974 questions as experienced in the real exam.*
- \* 100% correct Cisco 642-974 answers you simply can't find in other 642-974 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 642-974 PDF.*
- \* Cisco 642-974 brain dump free content featuring the real 642-974 test questions.*

*Cisco 642-974 certification exam is of core importance both in your Professional life and Cisco certification path. With Cisco certification you can get a good job easily in the market and get on your path for success. Professionals who passed Cisco 642-974 exam training are an absolute favorite in the industry. You will pass Cisco 642-974 certification test and career opportunities will be open for you.*

<http://www.studentidisinistra.org/?testid=exams.asp?examcode=642-974>



**Question: 1**

How would you configure a NAM to monitor and report the most heavily viewed sections of a website?

- A. Create a separate domain name or virtual server IP address for each section of the site. Add each domain name or IP address to the NAM application protocol directory.
- B. Enable regular-expression pattern matching. Define application protocol filters based on regular expressions that match the desired URLs.
- C. Enable URL monitoring. Define each desired URL as an application in the protocol directory.
- D. Use SPAN or VACLs to capture upper-layer protocol data from the web servers. Use a third-party application to parse the stored capture files.

**Answer: C**

**Question: 2**

Which command must be issued to activate the FWSM firewall context?


- A. Allocate-vlan
- B. Config-url
- C. Limit-resource
- D. Map-interface

**Answer: B**

**Question: 3**

Refer to the exhibit.

Which FWSM command allows routing of TCP traffic from the Internet to network 10.0.3.0/24?



- A. Access-list inside permit tcp 192.168.1.0 255.255.255.0 10.0.3.0 255.255.255.0
- B. Route inside 10.0.3.0 255.255.255.0 10.0.1.3
- C. Route outside 10.0.3.0 255.255.255.0 10.0.1.3
- D. Route inside 0 0 10.0.1.3

**Answer: B**

**Question: 4**

In a Cisco Catalyst 6500 Series Switch, in which slot or slots should you install the NAM?

- A. Slots 1 to 4
- B. Slot 5 or 6
- C. Any slot except a supervisor module slot
- D. The slots that are closest to the supervisor modules

**Answer: C**

**Question: 5**

A customer has installed an FWSM in the data center. Which feature must be configured to enable FTP to work?

- A. Dynamic NAT
- B. Dynamic PAT
- C. Access lists
- D. Transparent mode
- E. Deep packet inspection

**Answer: E**

**Question: 6**

Which IDS capture method has the ability to impact the performance of VoIP applications?

- A. In-line
- B. Promiscuous
- C. Span
- D. VACLs

**Answer: A**

**Question: 7**

You work as a Cisco engineer in the Data Center of Company.com. With your experience, which two functions will be executed if install all command ? (Choose two.)

- A. Causes a switchover back to the originally active supervisor module
- B. Reloads the standby supervisor module with the new Cisco NX-OS software
- C. Copies the kickstart and system images to the standby supervisor module
- D. Backs up the currently active software image before upgrading it

**Answer: B, C**

**Question: 8**

Cisco NX-OS is a data center-class operating system that is modular, resilient, and built for quality of service. So in your opinion, how many paths can be considered in NX-OS for equal-cost multipathing?

- A. 6
- B. 10
- C. 16
- D. 18

**Answer: C**

**Question: 9**

You work as the network administrator at Company.com. As far as you know, which command qualifies uRPF in strict mode?

- A. ip verify unicast source reachable-via any
- B. ip verify unicast source reachable-via rx
- C. ip verify unicast source reachable-via strict
- D. ip verify unicast source strict

**Answer: B**

**Question: 10**

What will be upgraded as a result of this command?

```
upgrade ftp://ftpuser@10.1.2.3//upgrade/IPS-K9-r-1.1-a-5.1-1.pkg
```

- A. Recovery partition
- B. Application partition
- C. Both application and recovery partitions immediately
- D. Both application and recovery partitions at the next scheduled automatic IDSM update

**Answer: A**

**Question: 11**

What is the effect of executing the command intrusion-detection module 5 management-port access-vlan 10 on an IDSM?

- A. Allows the IDSM to be managed by devices in VLAN 10
- B. Configures the IDSM to monitor traffic from VLAN 10 in in-line mode
- C. Allows the IDSM to perform blocking actions on devices in VLAN 10
- D. Configures the IDSM to monitor traffic from VLAN 10 in promiscuous mode

**Answer: A**

**Question: 12**

Your customer uses these file-oriented network applications:

FTP

Web-based file repositories

Windows and Linux file sharing

How can you use the NAM to create a report showing total network traffic for these applications?

- A. Define a VACL that forwards traffic for all of the applications.
- B. Define an application group that contains all of the interfaces for the application servers.
- C. This cannot be accomplished because the NAM cannot monitor upper-layer protocol data.
- D. Add each application to the Cisco Traffic Analyzer protocol directory and create an application group with all of the applications.

**Answer: D**

**Question: 13**

Policy-based routing (PBR) provides a mechanism for expressing and implementing forwarding/routing of data packets based on the policies defined by the network administrators. Which of following is taken to packets that do not match any of the route-map statements in policy-based routing?

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

