

70-504

Microsoft

TS: MS.NET Framework 3.5 Workflow Foundation

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 70-504 exam in first attempt and also get high scores to acquire Microsoft certification.

If you use OfficialCerts 70-504 Certification questions and answers, you will experience actual 70-504 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Microsoft exam prep covers over 95% of the questions and answers that may be appeared in your 70-504 exam. Every point from pass4sure 70-504 PDF, 70-504 review will help you take Microsoft 70-504 exam much easier and become Microsoft certified.

Here's what you can expect from the OfficialCerts Microsoft 70-504 course:

- * Up-to-Date Microsoft 70-504 questions as experienced in the real exam.*
- * 100% correct Microsoft 70-504 answers you simply can't find in other 70-504 courses.*
- * All of our tests are easy to download. Your file will be saved as a 70-504 PDF.*
- * Microsoft 70-504 brain dump free content featuring the real 70-504 test questions.*

Microsoft 70-504 certification exam is of core importance both in your Professional life and Microsoft certification path. With Microsoft certification you can get a good job easily in the market and get on your path for success. Professionals who passed Microsoft 70-504 exam training are an absolute favorite in the industry. You will pass Microsoft 70-504 certification test and career opportunities will be open for you.

<http://www.studentidisinistra.org/?testid=exams.asp?examcode=70-504>



Microsoft 70-504 (VB)

Question: 1

You create a Windows Workflow Foundation application by using Microsoft .NET Framework 3.5. The application contains a workflow named AdmitWorkflow in the namespace Hospital.Patient. The application uses strong-named assemblies. You plan to create an administrative application to monitor the workflow database. The administrative application must return a list of idle AdmitWorkflow workflows. You need to correctly configure the SqlTrackingQueryOptions class. Which code segment should you use?

- A. `Dim options As New SqlTrackingQueryOptions()options.WorkflowStatus = WorkflowStatus.Runningoptions.WorkflowType = _
Type.GetType("Hospital.Patient.AdmitWorkflow")`
- B. `Dim options As New SqlTrackingQueryOptions()options.WorkflowStatus = WorkflowStatus.Suspendedoptions.WorkflowType = _
Type.GetType("Hospital.Patient.AdmitWorkflow")`
- C. `Dim options As New SqlTrackingQueryOptions()options.WorkflowStatus = WorkflowStatus.Runningoptions.WorkflowType = _
Type.GetType("Hospital.Patient.AdmitWorkflow," + _
Hospital.Patient, Version=1.0.0.0, Culture=neutral," + _
PublicKeyToken=0123456789ABCDEF")`
- D. `Dim options As New SqlTrackingQueryOptions()options.WorkflowStatus = WorkflowStatus.Suspendedoptions.WorkflowType = _
Type.GetType("Hospital.Patient.AdmitWorkflow," + _
" Hospital.Patient, Version=1.0.0.0, Culture=neutral," + _
PublicKeyToken=0123456789ABCDEF")`

Answer: C

Question: 2

You create a Windows Workflow Foundation application by using Microsoft .NET Framework 3.5. The application uses state machineCbased workflows. As the workflow progresses, each state requires the name of the previous state. The workflow must be able to return the previous state at any point during the workflow. You need to create a method that returns the name of the last state. Which code segment should you use?

- A. `Dim wi As New StateMachineWorkflowInstance(runtime, workflowId)Return wi.StateHistory(0)`
- B. `Dim wi As New StateMachineWorkflowInstance(runtime, workflowId)Return wi.CurrentState.Parent.Name`
- C. `Dim wi As New StateMachineWorkflowInstance(runtime, workflowId)Return wi.States(wi.States.Count - 1).Name`
- D. `Dim wi As New StateMachineWorkflowInstance(runtime, workflowId)Return wi.StateHistory(wi.StateHistory.Count - 1)`

Answer: D

Question: 3

You are creating a Windows Workflow Foundation application by using Microsoft .NET Framework 3.5. You need to ensure that the application records event tracking information in the Windows Event Log. What should you do?

- A. Derive one custom class each from the TrackingService class and the TrackingChannel class. Return the custom class derived from the GetTrackingChannel method of the TrackingChannel class. Write the tracking information to the Windows Event Log in the Send method.
- B. Derive one custom class each from the TrackingService class and the TrackingChannel class. Return the custom class derived from the GetTrackingChannel method of the TrackingChannel class. Write the tracking information to the Windows Event Log in the GetProfile method.
- C. Derive one custom class each from the TrackingService class and the TrackingProfile class. Return the custom class derived from the TrackingProfile from the GetProfile method. Write the tracking information to the Windows Event Log in the constructor of the custom class derived from the TrackingProfile class.
- D. Derive one custom class each from the TrackingChannel class and the TrackingProfile class. Create an instance of the custom derived TrackingProfile class in the Send method. Write the tracking information to the Windows Event Log in the constructor of the custom class derived from the TrackingProfile class.

Answer: A

Question: 4


You are creating a Windows Workflow Foundation application by using Microsoft .NET Framework 3.5. The application uses a state machineCbased workflow that takes 10 to 15 days to complete. The workflow will be persisted when idle. The workflow communicates with a custom class that implements the IWorkflowAction interface. The interface contains events that the workflow will handle. The events require a custom EventArgs class. You need to implement the WorkflowActionEventArgs class. Which code segment should you use?

- A. `Public Class WorkflowActionEventArgs Inherits EventArgs Public InstanceId As Guid Public Action As String Public Sub New(ByVal instanceId As Guid, ByVal action As String) Me.InstanceId = instanceId Me.Action = action End Sub End Class`
- B. `<Serializable(> _Public Class WorkflowActionEventArgs Inherits EventArgs Public InstanceId As Guid Public Action As String Public Sub New(ByVal instanceId As Guid, ByVal action As String) Me.InstanceId = instanceId Me.Action = action End Sub End Class`
- C. `Public Class WorkflowActionEventArgs Inherits ExternalDataEventArgs Public Action As String Public Sub New(ByVal instanceId As Guid, ByVal action As String) MyBase.New(instanceId) Me.Action = action End Sub End Class`
- D. `<Serializable(> _Public Class WorkflowActionEventArgs Inherits ExternalDataEventArgs Public Action As String Public Sub New(ByVal instanceId As Guid, ByVal action As String) MyBase.New(instanceId) Me.Action = action End Sub End Class`

Answer: D

Question: 5

You create a Windows Workflow Foundation application by using Microsoft .NET Framework 3.5. The workflow design is as shown in the following exhibit. (Click the Exhibit button.)



You need to add an activity before the throwActivity1 activity. You also need to ensure that the added activity allows the throwActivity1 activity to throw an exception only if the Approved event is not received in four hours. What should you do?

- Add a DelayActivity activity and set the TimeoutDuration property to four hours.
- Add a CodeActivity activity. In the CodeActivity activity, call the Thread.Sleep method. Pass a time span of four hours to the Thread.Sleep method.
- Add a CodeActivity activity. In the CodeActivity activity, instantiate a Timer class. Set the Interval property of the Timer class to four hours. Handle the Elapsed event and check if the event has been raised.
- Add a WhileActivity activity. In the WhileActivity activity, add a SuspendActivity activity. In the Condition property of the WhileActivity activity, create a code condition and attach a delegate to the Approved event in the workflow.

Answer: A

Question: 6

You use a built-in tracking service to track specific workflow parameters. You need to check whether the workflow parameters have been stored in the tracking database. What should you do? (Each correct answer presents part of a solution. Choose two.)

- Display the contents of the WorkflowInstance table of the tracking database.
- Include the SqlTrackingQuery class in a code segment to retrieve tracked workflows and SqlTrackingWorkflowInstance class to inspect them.
- Use the ActivityTrackingLocation class to determine if the value has been set to a database.
- Display the contents of the TrackingDataItem table of the tracking database.

Answer: B, D

Question: 7

You create a Windows Workflow Foundation application by using Microsoft .NET Framework 3.5. The application uses a sequential workflow. The workflow calls an external method to notify a list

of users to carry out tasks. The list of users varies in size and composition from one workflow instance to another. The list is implemented as a string array. When a user completes a task, the host application raises a TaskCompleted event. You need to ensure that the users receive their notifications simultaneously. What should you do?

- A. Add the CallExternalMethodActivity and the HandleExternalEventActivity activities in a While activity. Set the While activity to loop through the entire string array.
- B. Add the CallExternalMethodActivity and the HandleExternalEventActivity activities in a Replicator activity. Set the ExecutionType property of the Replicator activity to Parallel.
- C. Add the CallExternalMethodActivity and the HandleExternalEventActivity activities in a Replicator activity. Set the ExecutionType property of the Replicator activity to Sequence.
- D. Add a ParallelActivity activity to the workflow. Add branches to the activity such that the number of branches is equal to the number of persons to be notified. Add the CallExternalMethodActivity and the HandleExternalEventActivity activities to each branch.

Answer: B

Question: 8

You create a Windows Workflow Foundation application by using Microsoft .NET Framework 3.5. The application uses a sequential workflow. The workflow is implemented in a class named ProcessOrders. The workflow contains a dependency property named EmployeeID. You need to ensure that the EmployeeID property is assigned a value when the host application tries to create a new workflow instance. Which code segment should you use?

- A. `Dim runtime As New WorkflowRuntime()Dim processOrders As New ProcessOrders()processOrders.EmployeeID = "NBK"Dim instance As WorkflowInstance = _ runtime.CreateWorkflow(GetType(ProcessOrders))`
- B. `Dim runtime As New WorkflowRuntime()Dim processOrders As New ProcessOrders()processOrders.SetValue(_ processOrders.EmployeeIDProperty, "NBK")Dim instance As WorkflowInstance = _ runtime.CreateWorkflow(GetType(ProcessOrders))`
- C. `Dim runtime As New WorkflowRuntime()Dim dict As Dictionary(Of String, Object) = _ New Dictionary(Of String, Object)()dict.Add("EmployeeID", "NBK")Dim instance As WorkflowInstance = _ runtime.CreateWorkflow(GetType(ProcessOrders), dict)`
- D. `Dim runtime As New WorkflowRuntime()Dim dict As Dictionary(Of String, Object) = _ New Dictionary(Of String, Object)()dict.Add("EmployeeIDProperty", "NBK") Dim instance As WorkflowInstance = _runtime.CreateWorkflow(GetType(ProcessOrders), dict)`

Answer: C

Question: 9

You create a Windows Workflow Foundation application by using Microsoft .NET Framework 3.5. The application contains a state workflow. You write the following code segment. `Dim amount As Integer = 10 Dim runtime As New WorkflowRuntime() Dim instance As WorkflowInstance = _ runtime.CreateWorkflow(GetType(DynamicUpdateWorkflow)) instance.Start() Dim smwi As New StateMachineWorkflowInstance(runtime, _ instance.InstanceId)` A dependency property named Status is defined in this workflow. The value of a variable named amount is used to set the state of the workflow. You need to ensure that the host application changes the state of the workflow on the basis of the value of the amount variable. What are the two possible code segments that you can use to achieve this goal? (Each correct answer presents a complete solution. Choose two.)

```

A. If amount >= 1000 Then smwi.SetState("HighValueState")Else
smwi.SetState("LowValueState")End If
B. If amount >= 1000 Then smwi.StateMachineWorkflow.SetValue _
(DynamicUpdateWorkflow.StatusProperty, "HighValueState")Else
smwi.StateMachineWorkflow.SetValue _
(DynamicUpdateWorkflow.StatusProperty, "LowValueState")End If
C. If amount >= 1000 Then instance.GetWorkflowDefinition().SetValue
(DynamicUpdateWorkflow.StatusProperty, "HighValueState")Else
instance.GetWorkflowDefinition().SetValue (DynamicUpdateWorkflow.StatusProperty,
"LowValueState")End If
D. If amount >= 1000 Then Dim high As StateActivity = _
CType(smwi.StateMachineWorkflow.Activities("HighValueState"), _ StateActivity)
smwi.SetState(high)Else
Dim low As StateActivity = _ CType(smwi.StateMachineWorkflow.Activities("LowValueState"), _
StateActivity) smwi.SetState(low)End If

```

Answer: A, D

Question: 10

A custom activity defined in an assembly named LitwareActivities is defined as follows:

```

Namespace LitwareActivities
Public Class WriteLineActivity
Inherits Activity
Protected Overrides Function Execute(ByVal executionContext As
System.Workflow.ComponentModel.ActivityExecutionContext) _ As
System.Workflow.ComponentModel.ActivityExecutionStatus
Console.WriteLine(Message)
Return ActivityExecutionStatus.Closed
End Function
Private aMessage As String
Public Property Message() As String
Get
Return aMessage
End Get
Set(ByVal value As String)
aMessage = value
End Set
End Property
End Class
End Namespace

```

You need to create a sequential workflow where the execution path can be generated on the fly by an application. Which XML code segment should you use?

```

A. <SequentialWorkflowActivity
xmlns="http://schemas.microsoft.com/winfx/2006/xaml/workflow"xmlns:x="http://schemas.microso
ft.com/winfx/2006/
xmlns:Litware="clr-
namespace:LitwareActivities;assembly=LitwareActivities"><Litware:WriteLineActivity
Message="Hello, WF"/></SequentialWorkflowActivity>

```

```

B. <Workflow
xmlns="http://schemas.microsoft.com/winfx/2006/xaml/workflow"xmlns:x="http://schemas.microso
ft.com/winfx/2006/
xmlns:Litware="clr-
namespace:LitwareActivities;assembly=LitwareActivities"><Litware:WriteLineActivity
Message="Hello, WF"/></Workflow>

```

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

