

HP0-Y20

HP

ProCurve Adaptive EDGE Fundamentals

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=HP0-Y20>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your HP0-Y20 exam in first attempt, but also you can get a high score to acquire HP certification.

If you use pass4sureofficial HP0-Y20 Certification questions and answers, you will experience actual HP0-Y20 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our HP exam prep covers over 95% of the questions and answers that may be appeared in your HP0-Y20 exam. Every point from pass4sure HP0-Y20 PDF, HP0-Y20 review will help you take HP HP0-Y20 exam much easier and become HP certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial HP HP0-Y20 course:

- * Up-to-Date HP HP0-Y20 questions taken from the real exam.
- * 100% correct HP HP0-Y20 answers you simply can't find in other HP0-Y20 courses.
- * All of our tests are easy to download. Your file will be saved as a HP0-Y20 PDF.
- * HP HP0-Y20 brain dump free content featuring the real HP0-Y20 test questions.

HP HP0-Y20 certification exam is of core importance both in your Professional life and HP certification path. With HP certification you can get a good job easily in the market and get on your path for success. Professionals who passed HP HP0-Y20 exam training are an absolute favorite in the industry. You will pass HP HP0-Y20 certification test and career opportunities will be open for you.



QUESTION: 1

You need to configure VLANs on a ProCurve Switch 5308xl that is currently set to the factory defaults. You issue the following CLI command:

```
no vlan 1 untagged a1-a4
```

What will be the result of this command?

- A. Ports a1-a4 will be removed from VLAN 1.
- B. The ports will become tagged members of VLAN 1.
- C. An error message will be displayed indicating that you cannot remove the ports from VLAN 1.
- D. A prompt will be displayed asking which VLAN the ports should be assigned to.

Answer: C

QUESTION: 2

Which features are supported on the ProCurve Secure Router 7000dl series? Select THREE.

- A. RIPv1 and RIPv2
- B. SONET interfaces
- C. IPSec VPNs
- D. Fast EtherChannel
- E. 802.1Q VLANs
- F. 10-GbE ports

Answer: A,C,E

QUESTION: 3

You must develop the IP addressing scheme for a small network that will use a private Class C address range. Which address corresponds to a private Class C network?

- A. 192.1.5.0
- B. 192.200.5.0
- C. 192.150.5.0
- D. 192.168.5.0

Answer: D

QUESTION: 4

You are comparing the trade-offs between using a single 10 Gigabit Ethernet link and five 1

Gigabit links aggregated as a trunk for switch-to-switch connectivity. Which statement is true?

- A. The 10 Gigabit link would be limited to a distance of 20 kilometers using fiber, whereas the 1 Gigabit links could cover a distance up to 70 kilometers using fiber.
- B. A 10 Gigabit link would require multi-mode fiber, whereas single-mode or multi-mode fiber could be used for the 1-Gigabit links.
- C. Copper cabling could be used for the 1-Gigabit links, but fiber must be used for the 10-Gigabit link.
- D. A file transfer between any two servers traversing a trunk with 5 links cannot exceed 1 Gbps, but could over the 10 Gigabit link.

Answer: D

QUESTION: 5

You have just finished configuring Multiple Spanning Tree Protocol (MST) on several ProCurve Switch 3500yl switches at a customer site. While checking your configuration, you notice that two of the switches have declared themselves to be the Root in one MST instance. How can you correct this configuration error?

- A. Modify the port priorities on the links between the switches so that one switch has a higher value.
- B. Change the VLAN assignments on the switches so that they match.
- C. Configure the switches so that they have the same configuration name and revision number.
- D. Change the bridge priorities on the switches to distinct values.

Answer: C

QUESTION: 6

You have configured four ProCurve Switch 5348xl switches for HP Switch Meshing. How will a switch in the mesh domain handle broadcast and multicast traffic that originates from a port outside the mesh?

- A. Define a loop-free broadcast path and forward broadcast and multicast traffic over ports that are part of its broadcast path.
- B. Send a query to its directly connected neighbors to find out whether any of the neighbor's connected hosts can respond to broadcasts and multicasts.
- C. Replace broadcast and multicast addresses with the unicast MAC addresses of its neighbors in the mesh.
- D. Flood broadcast and multicast traffic through meshed and non-meshed ports.

Answer: A

QUESTION: 7

An existing 1000Base-T link between two ProCurve 5348xl switches at a small university is configured as a member of the faculty VLAN. After you configure a four-port trunk between the switches, members of the college's faculty report that they can no longer access servers that were available before the trunk was installed. Which statement describes a likely solution for this problem?

- A. A new link must be configured for the VLAN because the maximum number of VLANs that the port trunk can support has been exceeded.
- B. The port trunk must be configured for tagged membership in the faculty VLAN because port trunks do not support untagged VLANs.
- C. The switch-to-switch link must be added to the port trunk because the switches cannot simultaneously support port trunks and single-port links between switches.
- D. The port trunk must be configured for membership in the faculty VLAN because the trunk ports are automatically assigned to the default VLAN as untagged members.

Answer: D

QUESTION: 8

While using the CLI to configure a ProCurve switch, you must change context from the manager level to the global configuration level. Which command do you use?

- A. global
- B. write
- C. exit
- D. configure
- E. enable

Answer: D

QUESTION: 9

Which operating systems are supported by ProCurve Manager? Select TWO.

- A. Macintosh
- B. Microsoft Windows Server 2003
- C. HP-UX
- D. IBM AIX
- E. Red HatEnterprise Linux ES
- F. Microsoft Windows XP

Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

