

70-513

Microsoft

Windows Communication Foundation Development with Microsoft .NET Framework 4

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 70-513 exam in first attempt and also get high scores to acquire Microsoft certification.

If you use OfficialCerts 70-513 Certification questions and answers, you will experience actual 70-513 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Microsoft exam prep covers over 95% of the questions and answers that may be appeared in your 70-513 exam. Every point from pass4sure 70-513 PDF, 70-513 review will help you take Microsoft 70-513 exam much easier and become Microsoft certified.

Here's what you can expect from the OfficialCerts Microsoft 70-513 course:

- * Up-to-Date Microsoft 70-513 questions as experienced in the real exam.*
- * 100% correct Microsoft 70-513 answers you simply can't find in other 70-513 courses.*
- * All of our tests are easy to download. Your file will be saved as a 70-513 PDF.*
- * Microsoft 70-513 brain dump free content featuring the real 70-513 test questions.*

Microsoft 70-513 certification exam is of core importance both in your Professional life and Microsoft certification path. With Microsoft certification you can get a good job easily in the market and get on your path for success. Professionals who passed Microsoft 70-513 exam training are an absolute favorite in the industry. You will pass Microsoft 70-513 certification test and career opportunities will be open for you.

<http://www.studentidisinistra.org/?testid=exams.asp?examcode=70-513>



| | | | |
|-------------------|---|-----------------------|------------|
| Exam Name: | Windows Communication Foundation Development with Microsoft .NET Framework 4 | | |
| Exam Type: | Microsoft | | |
| Exam Code: | 70-513 | Total Question | 121 |

Question: 1

You are creating a Windows Communication Foundation (WCF) service that is implemented as follows. (Line numbers are included for reference only.)

```

01|ServiceContract]
02[Service Behavior(includeExceptionDetailsInFaults = true)1 03public class Order Service
04{
05[OperationContract]
06public void Submit Order(Order an Order)
07{
08try
09{
10...
11)
12catch(DivideByZeroException ex)
13{
14
15)
16)
17)

```

You need to ensure that the stack trace details of the exception are not included in the error information sent to the client. What should you do?

- A. Replace line 14 with the following line. throw;
- B. Replace line 14 with the following line throw new FaultException<Order>(anOrder, ex.ToString());
- C. After line 05, add the following line. [FaultContract(typeof(FaultException<Order>))] Replace line 14 with the following line throw ex;
- D. After line 05, add the following line [FaultContract(typeof(FaultException<Order>))] Replace line 14 with the following line. throw new FaultException<Order>(anOrder, "Divide by zero exception");

Answer: D

Question: 2

You are creating a Windows Communication Foundation (WCF) service that is implemented as follows. (Line numbers are included for reference only.)

```

01 <ServiceContract>?
02<ServiceBehavior(IncludeExceptionDetailsInFaults: Time)>
03Public Class OrderService
04
05<OperationContract>d
06Public Sub Submit Order(ByVal anOrder As Order)
07
08Try
09.
10Catch ex As DivideByZeroException
11
12End Try
13End Sub
14
15End Class

```

You need to ensure that the stack trace details of the exception are not included in the error information sent to the client. What should you do?

| | | | |
|-------------------|---|-----------------------|------------|
| Exam Name: | Windows Communication Foundation Development with Microsoft .NET Framework 4 | | |
| Exam Type: | Microsoft | | |
| Exam Code: | 70-513 | Total Question | 121 |

- A. Replace line 11 with the following line. Throw
- B. Replace line 11 with the following line. Throw New Fault Exception(C* Order)(anOrder, exToSthng0)d
- C. After line 05, add the following line. 'cFault Contract(Get Type(FautException(Of Order)))> Replace line 11 with the following line. Throw ex
- D. After mne 05, add the following line. <Fault Contract(Get Type(FaultException(CX Order)))> Replace line 11 with the following line. Throw New FaultException(CX Order)(anOrder, "Divide by zero exception")

Answer: D

Question: 3

You are creating a windows Communication Foundation (WCF) service. You do not want to pose the internal implementation at the service layer You need to expose the following class as a service named Arithmetic the an operation named Sum public class Calculator { public int Add(int x, nty) { } } Which code segment should you use?

- A. [ServiceContract(Namespace="Arithmetic")] public class Calculator { [Operation Contract(Action"Sum")]m public int Add(int x, int y) { } }
- B. [ServiceContract(ConfigurationName="Arithmetic")] public class Calculator { IOperation Contract(Action"Sum")m public nit Add(int x, int y) { } }
- C. [ServiceContract(Namie="Arithmetic")] public class Calculator ([OperationContract(Nameee"Sum")] public int Add(int x, int y) (}
- D. [ServiceContract(Namie="Arithmtic")] public class Calculator { (OperationContract(ReplyAction"Sum")) public int Add(int x, int y) (}

Answer: C

Question: 4

You are creating a Windows Communication Foundation (WCF) service You do not want to expose the internal implementation at the service layer You need to expose the following class as a service named Arithmetic with an operation named Spurn. Public Class Calculator Public Function Add(ByVal x As Integer, ByVal yAs Integer) As Integer End Function End Class Which code segment should you use?

- A. <ServceContract(Namespace: 'Arithmetic')> Public Class Calculator <OperationContract(Action:"Su.rn")>? Public Function Add(ByVal x As integer, ByVal yAs Integer) As Integer End Function End Class
- B. <ServiceContract(ConfigurationName:="Arithmetic")> Public Class Calculator <OperationContract(Action:"Surm")s Public Function Add(ByVal x As integer, ByVal yAs Integer) As Integer End Function End Class
- C. <ServiceContract(Name: "Arithmetic")> Public Class Calculator <OperationContract(Name: "Sum')> Public Function Add(ByVal x As integer, ByVal yAs Integer) As Integer
- D. <ServiceContract(Name: z'Arithmetic")> Public Class Calculator <OperationContract(ReplyAction: "Sum")> Public Function Add(ByVal x As Integer, ByVal y As Integer) As Integer End Function End Class

Answer: C

Question: 5

You are developing a data contract for a Windows Communication Foundation (WCF) service. The data in the data contract must participate in round trips. Strict schema validity is not required. You need to ensure that the contract is forward compatible and allows new data members to be added to it. Which interface should you implement in the data contract class?

- A. ICommunicationObject

| | | | |
|-------------------|---|-----------------------|------------|
| Exam Name: | Windows Communication Foundation Development with Microsoft .NET Framework 4 | | |
| Exam Type: | Microsoft | | |
| Exam Code: | 70-513 | Total Question | 121 |

- B. IExtension <T>
- C. IExtensibleObject <Ts
- D. IExtensibleDataObject

Answer: D

Question: 6

You are developing a data contract for a Windows Communication Foundation (WCF) service. The data in the data contract must participate in round trips. Strict schema validity is not required. You need to ensure that the contract is forward-compatible and allows new data members to be added to it. Which interface should you implement in the data contract class?

- A. ICommunicationObject
- B. IExtension(Of T)
- C. IExtensibleObject(Of T)
- D. IExtensibleDataObject

Answer: D

Question: 7

Windows Communication Foundation (WCF) application uses a data contract that has several data members. You need the application to throw a SerializationException if any of the data members are not present when a serialized instance of the data contract is deserialized. What should you do?

- A. Add the Known Type attribute to the data contract. Set a default value in each of the data member declarations.
- B. Add the Known Type attribute to the data contract. Set the Order property of each data member to unique integer value.
- C. Set the EmitDefault Value property of each data member to false.
- D. Set the required property of each data member to true.

Answer: D

Question: 8

A Windows Communication Foundation (WCF) application uses the following data contract [DataContract] public class Person { [DataMember] public string first Name, [DataMember] public string last Name; [DataMember] public int age; [DataMember] public int ID; } You need to ensure that the following XML segment is generated when the data contract is serialized. <Person> <first Name xsi:nil="true"></first Name> <last Name xsi:nil="true"></last Name> <ID>999999999 </ID> </Person> Which code segment should you use?

- A. [DataMember] public string first Name; [DataMember] public string last Name; [DataMember(EmitDefaultValue = true)] public int age = 0; [DataMember(EmitDefaultValue = true)] public int ID = 999999999;
- B. [DataMember(EmitDefaultValue = false)] public string first Name = null; [DataMember(EmitDefaultValue = false)] public string last Name = null; [DataMember(EmitDefaultValue = true)] public int age = -1; [DataMember(EmitDefaultValue = false)] public int ID = 999999999;
- C. [DataMember(EmitDefaultValue = true)] public string first Name; [DataMember(EmitDefaultValue = true)] public string last Name; [DataMember(EmitDefaultValue = false)] public int age = -1; [DataMember(EmitDefaultValue = false)] public int ID = 999999999;
- D. [DataMember] public string first Name = null; [DataMember(EmitDefaultValue = false)] public int age = 0;

| | | | |
|------------|--|----------------|-----|
| Exam Name: | Windows Communication Foundation Development with Microsoft .NET Framework 4 | | |
| Exam Type: | Microsoft | | |
| Exam Code: | 70-513 | Total Question | 121 |

[DataMember(EmitDefaultValue false)] public int ID = 999999999;

Answer: D

Question: 9

A Windows Communication Foundation (WC9) application uses the following data contract. <DataContractO> Public Class Person <DataMemberOs Public first Name As String <DataMemberO> Public last Name As String <DataMemberO> Public age As Integer <DataMemberO> Public ID As Integer End Class You need to ensure that the following XML segment is generated when the data contract is serialized. <Person> <first Name xsi:nil='true' /> <last Name xsi:nil='true' /> <ID>999999999 </ID> </Person> Which code segment should you use?

- A. <DataMember> Public first Name As String <DataMember> Public last Name As String <DataMember(EmitDefaultValue:=True)> Public age As Integer 0 <DataMember(EmitDefaultValue:=True)s Public ID As Integer = 999999999
- B. <DataMember(EmitDefaultValue:sFalse)?> Public first Name As String = Nothing <DataMember(EmitDefaultValue:zFalse)> Public last Name As String = Nothing <DataMember(EmitDefaultValue:=True)> Public age As Integer = -1 <DataMember(EmitDefaultValue:sFalse)s> Public ID As Integer = 999999999
- C. <DataMember(EmitDefaultValue =True)> Public first Name As String <DataMember(EmitDefaultValue:True)s> Public last Name As String <DataMember(EmitDefaultValue:zFalse)> Public age As Integer = -1 <DataMember(EmitDefaultValue:=False)> Public ID As Integer = 999999999
- D. <DataMemberO> Public first Name As String = Nothing <DataMemberO> Public last Name As String = Nothing <DataMember(EmitDefaultValue:zFalse)> Public age As Integer =0 <DataMember (EmitDefaultValueaFalse)> Public ID As Integer = 999999999

Answer: D

Question: 10

The following is an example of a SOAP envelope. <s:Envelope xmlns:s='http://schemas.xmlsoap.org/soap/envelope'> <Header> <h:StoreId xmlns:h='http://www.contoso.com's 6495 </h: StoreId> </s:Header> <s:Body> <CheckStockRequest xmlns=http://www.corlosoc.com'> <ItemId>2469 <ItemId>4 </CheckStockRequest> </s: Body> </s: Envelope> You need to create a message contract that generates the SOAP envelope. 1 which code segment should you use?

- A. [MessageContract(WrapperName="http://www. contoso. com")] public class CheckStockRequest { [MessageHeader(Name="http://www.contoso.com")] public int StoreId{get; set;} [MessageBodyMember(Name="http://www..contoso.com")] public int ItemId{get; set;} }
- B. [MessageContract(Wrapper Namespace="http://www.contoso. com")] public class CheckStockRequest { [MessageHeader(Namespace="http://www.contoso.com")] public int StoreId{get; set;} [MessageBodyMember(Namespace=" http://www. contoso . com")] public int ItemId{get; set;} }
- C. [MessageContract(WrapperNamespace="http://www. contoso.com")] public class CheckStockRequest { [MessageHeader(Namespace="http://wwwcontoso. com")] public int StoreId{get; set;} public int ItemId{get; set;} }
- D. [MessageContract(WrapperNamespace="http://www. contoso.com")] public class CheckStockRequest { [MessageHeader(Namespace="http://www. contoso. com")] public int StoreId{get; set;} [MessageBodyMember] public int ItemId{get; set;} }

Answer: B

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



| | | | | | | |
|------------|--------------------|------------------|---------|------------------|--------------|-----------|
| 3COM | CompTIA | Filemaker | IBM | LPI | OMG | Sun |
| ADOBE | ComputerAssociates | Fortinet | IISFA | McAfee | Oracle | Sybase |
| APC | CWNP | Foundry | Intel | McData | PMI | Symantec |
| Apple | DELL | Fujitsu | ISACA | Microsoft | Polycom | TeraData |
| BEA | ECCouncil | GuidanceSoftware | ISC2 | Mile2 | RedHat | TIA |
| BICSI | EMC | HDI | ISEB | NetworkAppliance | Sair | Tibco |
| CheckPoint | Enterasys | Hitachi | ISM | Network-General | SASInstitute | TruSecure |
| Cisco | ExamExpress | HP | Juniper | Nokia | SCP | Veritas |
| Citrix | Exin | Huawei | Legato | Nortel | See-Beyond | Vmware |
| CIW | ExtremeNetworks | Hyperion | Lotus | Novell | Google | |

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

